

Spirovent® Junior Microbubble™ Eliminator (Vertical Piping)

Job Name:
Engineer:
Contractor:
Representative:

Tag	Model	Flow	Size	Location

<p>The drawing shows a vertical microbubble eliminator. Dimension H1 is the total height from the bottom flange to the top of the vent head. Dimension D is the diameter of the vent head. Dimension L is the height of the main body. Dimension B is the width of the base. A float valve is visible inside the main body.</p>	<p>Specifications:</p> <table border="1"> <tr> <td>Body</td> <td>Brass</td> </tr> <tr> <td>Vent Head</td> <td>Brass</td> </tr> <tr> <td>Float</td> <td>Non-Ferrous</td> </tr> <tr> <td>Seal</td> <td>Viton</td> </tr> <tr> <td>O Ring</td> <td>Viton</td> </tr> <tr> <td>Coalescing Medium</td> <td>Copper</td> </tr> <tr> <td>Max. Working Pressure</td> <td>150 psig</td> </tr> <tr> <td>Max. Operating Temperature</td> <td>270°F</td> </tr> </table> <p>Notes:</p>	Body	Brass	Vent Head	Brass	Float	Non-Ferrous	Seal	Viton	O Ring	Viton	Coalescing Medium	Copper	Max. Working Pressure	150 psig	Max. Operating Temperature	270°F
Body	Brass																
Vent Head	Brass																
Float	Non-Ferrous																
Seal	Viton																
O Ring	Viton																
Coalescing Medium	Copper																
Max. Working Pressure	150 psig																
Max. Operating Temperature	270°F																

d (Pipe Size NPT)	3/4"	1"	1-1/4"
D (inches)	2.6	2.6	2.6
H1 (inches)	6.0	7.0	9.1
L (inches)	3.4	3.5	3.8
B (inches)	4.8	4.8	5.4
Weight (lbs)	4.8	5.0	6.0
Rec. Flow (gpm)	6	10	15
Model No.	VJV-075FT	100FT	125FT

(Dimensions for Reference Only)